

Effective: from 09 June 2022
 Applicable: from 09 June 2022

TEXT

1. 1.5.1 Validity of Network Statement

The following modifications were made:

This Network Statement is valid from 00:00 of 09 June 2022 to 24:00 of 10 December 2022

ANNEXES

2. 2.3.1 Main characteristics of railway lines, track sections.

The following modifications were made:

Line number Sub-number	Starting point of line (station)	Final point of line (station)	Dividing line into sections	Number of tracks	Applicable load per meter (kN)	Applicability of line	Maximum load applicable for extraordinary constraints	Axle load range containing subload conditions of overweight locomotives										Applicable axle load (t) for locomotives and hauled vehicles										Track speed (km/h) ^{1,2}	Minimum length of train (m)	Electricity (yes/no)	Type of traffic management of line	Ground strain ratio (yes (W)/no (N))	Train protection (FH/ETCS/ERTMS/RSB)	Possibility of full train sport (yes/no)	Rating of lines	Remarks	RCS4	RCS7	RCS9	RCS11
								2-4 axle		4 axle		2 axle		4 axle		6 axle		open 1°		open 2°		limited speed (km/h)		Track speed (km/h) ^{1,2}																
								minimum axle load limit (t)	maximum axle load limit (t)	minimum axle load limit (t)	maximum axle load limit (t)	without limitation	with speed limit	without limitation	with speed limit	without limitation	with speed limit	without limitation	with speed limit	without limitation	with speed limit	without limitation	with speed limit	without limitation	with speed limit															
4	AHÉKfűtő	excl. EsztergomKertváros	excl.		one	6,4	C2	C2	20,6	22,0	19,4	20,9	20,0		20,0		19,0		18,0		18,0		40	40	600	no	station	no	no	no	Nat inside Core network									
				Áhászfűtő - Nyergesújfalu	incl.																																			
				Nyergesújfalu - EsztergomKertváros	excl.																																			

¹ The data applicable till 17.06.2022
² The data applicable from 18.06.2022

3. 7.3.7 Wagon weigh bridges (scales)

The following modifications were made:

Infrastructure Manager Regional Directorate	Number	Station	Service place code	Weighing capacity	Length of bridge	Type	Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective till
Pécs	41	Pécsbánya-Rendező	07385	100 t	9+3+9m	electronic	SCHENCK Mon: 03:00-24:00 Tue-Fri: 0-24 Sat: 00:00-24:00 Sun: 03:00-24:00	20	no		2022.05.15 2022.08.12

4. 2.5-1 Report on maintenance, renewal and enhancement works scheduled on the railway network for the 2021/2022 timetable period

The following modifications were made:

No.	Line	Section	Track	Track closed	Beginning date	Beginning time	End date	End time	Reason of restriction	Affected service places	Type of object(s) to be closed	Notes
6-	140	Kecskemét—Városföld	open line	yes	09.09.2022	22:25:00	10.09.2022	4:00:00	overhead-wire-maintenance	Városföld	whole station	Kecskemét (excl.)— Kiskunfélegyháza (excl.)— overhead-wire-maintenance
	140	Városföld—Kiskunfélegyháza	right left	yes								
10-	155	Kiskunhalas—Kiskunfélegyháza	open line	yes	22.09.2022	20:30:00	23.09.2022	5:25:00	overhead-wire-maintenance	Kiskunhalas- Harkakötöny- Kiskunmajsa Jászszentlászló	whole station- whole station- whole station whole station	Kiskunhalas (excl.)— Kiskunfélegyháza (excl.)— overhead-wire-maintenance
	154N	Balotaszállás-elágazás—Harkakötöny-elágazás	open line	yes								
11-	155	Kiskunhalas—Kiskunfélegyháza	open line	yes	23.09.2022	20:30:00	24.09.2022	5:25:00	overhead-wire-maintenance	Kiskunhalas- Harkakötöny- Kiskunmajsa Jászszentlászló	whole station- whole station- whole station whole station	Kiskunhalas (excl.)— Kiskunfélegyháza (excl.)— overhead-wire-maintenance
	154N	Balotaszállás-elágazás—Harkakötöny-elágazás	open line	yes								
12-	155	Kiskunhalas—Kiskunfélegyháza	open line	yes	24.09.2022	20:30:00	25.09.2022	5:25:00	overhead-wire-maintenance	Kiskunhalas- Harkakötöny- Kiskunmajsa Jászszentlászló	whole station- whole station- whole station whole station	Kiskunhalas (excl.)— Kiskunfélegyháza (excl.)— overhead-wire-maintenance
	154N	Balotaszállás-elágazás—Harkakötöny-elágazás	open line	yes								

5. 7.3.11 Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modifications were made:

Debrecen Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no	yes-no	Length (m)	Width (m)					yes - no partly?		
Püspökladány	13862	1781+10 - 1782+24	none	55-13862-06-16	yes	yes	106	10	55-13862-01-16	16.	140	106	no	21	Loading area can't be used between 10.06.2022-17.07.2022, capacity can't be requested.

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes - no - partly		
Balatonkeresztúr	08615	72+80-73+40+30	none	55-08615-06-1	yes	yes	60 50	20 10	55-08615-01-1	1.	179	60 50	no	18,5	5 km/h
Balatonszentgyörgy	03566	1799+80-1802+67+60	none	55-03566-06-9(B)	yes	yes	207 70 280	7 16 6	55-03566-01-9	9.(B)	282	252 280	partly	21	Fly shunting is prohibited! Dead end track 5 km/h
Balatonszentgyörgy	03566	1800+60 -1802+67 70	homlokrakodó	55-03566-19-9(H)	yes	yes	45 10	5 6,5	55-03566-01-9	9.(H)	282	45 10	yes	21	Fly shunting is prohibited! Dead end track 5 km/h
Bátaszék	07146	604+80-606+4015	none	55-07146-06-10	yes	yes	360 135	11 17	55-07146-01-10	10.	262	262 135	no	21	20 km/h
Nagydorog	06684	234+11-236+08	none	55-06684-06-4	yes	yes	66	20	55-06684-01-4	4.	536	66	no	21	
Nagydorog	06684	234+11-235+17	none	55-06684-06-5	yes	yes	106	20	55-06684-01-5	5.	48	48	no	21	
Pécsbánya-Rendező	07385	5+65 - 6+82	none	55-07385-06-2/A	no	yes no	117	11	55-07385-01-2/A	2/a.	338	117	no	21	Serving is possible only with diesel locomotive 5 km/h
Szántód	03400	1272+00-1273+85 70	none	55-03400-06-1(B)	yes	yes	185 170	12,5	55-03400-01-1	1.(B)	555	185 170	yes	21	
Tab	08342	690+26-691+80-52	none	55-08342-06-1(A)	yes	yes	154 126	23 11	55-08342-01-1	1.(A)	331	154 126	no	18,5	20 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Tolna-Mözs	06742	472+50 15-473+70-96	none	55-06742-06-3	yes	yes	120 181	23	55-06742-01-3	3.	195	120 181	no	21	20 km/h
Vajta	06668	119+98-121+98 121+00-122+03	none	55-06668-06-1	yes	nem	200 103	8 12	55-06668-01-1	1.	400	200 103	no	21	