

Effective: from 8 July 2022  
 Applicable: from 8 July 2022

### TEXT

#### 1. 1.5.1 Validity of Network Statement

The following modifications were made:

This Network Statement is valid from 00:00 of 8 July 2022 to 24:00 of 10 December 2022

### ANNEXES

#### 2. 7.3.1.3.2 Availability of station shunting locomotive and shunting staff on the railway network of MÁV Zrt

The following modifications were made:

Number	Name of the service location	Code number of the service location	Operation time	
11.	Komoró (széles)	44206	08.07.2022-29.07.2022. ② ④	08:00-12:00; 13:10-17:00
12.	Kaposvár	06288	05.10.2022-10.12.2022.	06:00-16:00; 18:00-04:00

### 3. 7.3.7 Wagon weigh bridges (scales)

The following modifications were made:

MÁV Zrt.

Infrastructure Manager Regional Directorate	Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective till
Budapest	1.	Ferencváros Nyugati Rendező	40162	100 t	9+3+9 m	electronic	Ardin (D43-09B)	0-24	15	no		01.10.2023
	2.	Soroksári út rendező	40196	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	12	no		05.10.2023
	3.	Dunaújváros	06502	100 t	9+3+9m	electronic	ARDIN (IQ810)	0-24	10	no		13.07.2023
	4.	Gönyű	01296	100t	9+6+9m	electronic	ARDIN (D43-09B) AR-D8203	7-15 (only on weekdays)	10	no	Printing is not available suitable for dynamic mode	19.10.2023
	5.	Győr-Rendező	01271	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	10	no		07.04.2023
	6.	Hatvan-Rendező	40667	100 t	9+3+9m	elektronikus	AR-D8203	0-24	12	no	Printed weighing note also contains unofficial dynamic wheel and axle load data beyond the official static measured weight.	18.06.2022
	7.	Komárom-Rendező	01214	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	12	yes		14.04.2023
	8.	Rákos	10074	100 t	9+3+9m	electronic	ARDIN (D43-09B)	By occasional order	12	yes		28.09.2023
	9.	Székesfehérvár	03269	100 t	9+3+9m	electronic	AR-D8203	0-24	12	yes	Printed weighing note also contains unofficial dynamic wheel and axle load data beyond the official static measured weight.	06.04.2024
	10.	Szolnok-Rendező	40485	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	12	no	Expanded with the PW2 program, which enables the recording, storage and printing of weighing data.	14.10.2023
Miskolc	11.	Bánréve	12849	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	06-18	20	no		<del>09.07.2022</del> 24.05.2024
	12.	Kazincbarcika	12781	100t	9+3+9m	hybrid	MS-DUÁL	6-18	20	no		14.05.2023
	13.	Füzesabony	11296	100 t	9,5+1,5+9,5m	electronic	SCHENCK	0-24	8	yes		<del>19.06.2022</del> 05.05.2024
	14.	Miskolc-Rendező	12641	100 t	9,5+1,5+9,5m	electronic	aknás	0-24	20	no		<del>04.12.2022</del> 13.05.2024
	15.	Szerencs	11445	100 t	9+3+9m	electronic	ARDIN	0-24	8	yes		<del>09.07.2022</del> 27.05.2024

## 4. 7.3.11 Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modifications were made:

Debrecen Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places					Restrictions, remarks	
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary		Axle load (t)
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes - no - partly?		
Püspökladány	13862	1781+10 - 1782+24	none	55-13862-06-16	yes	yes	106	10	55-13862-01-16	16.	140	106	no	21	Loading area can't be used between 10.06.2022-17.07.2022, capacity can't be requested.

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places					Restrictions, remarks	
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary		Axle load (t)
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes - no - partly?		
Bóly	07765	<del>139+24-139+84</del> <del>141+40-141+85</del>	none	55-07765-06-4(B)	yes	no	<del>60</del> <del>45</del>	<del>12</del> <del>13</del>	55-07765-01-4	4.(B)	240	<del>60</del> <del>45</del>	no	21	20 km/h
Bóly	07765	<del>140+90-141+65</del> <del>140+70-140+40</del>	side loading	55-07765-19-4(O)	yes	no	<del>75</del> <del>70</del>	12	55-07765-01-4	4.(O)	240	<del>75</del> <del>70</del>	no	21	20 km/h
Bóly	07765	<del>140+59-141+35</del> <del>139+95-140+70</del>	none	55-07765-06-4(A)	yes	no	75	<del>12</del> <del>16</del>	55-07765-01-4	4.(A)	240	75	no	21	20 km/h
Kaposvár elágazás	43588	<del>3+55-6+05-20</del>	none	55-43588-06-13	yes	yes	<del>250</del> <del>265</del>	10	55-43588-01-13	13.	304	<del>250</del> <del>265</del>	no	20	5 km/h
Kiskorpad	03620	459+66 - 459+96	side loading	55-06320-19-1(O1)	yes	yes	30	<del>7</del> <del>6</del>	55-06320-01-1	1.(O1)	720	30	yes	21	
Kiskorpad	03620	<del>460+42-463+04</del> <del>460+34-462+85</del>	none	55-06320-06-5	yes	yes	<del>259</del> <del>251</del>	11	55-06320-01-5	5.	259	<del>259</del> <del>251</del>	no	21	
Kiskorpad	03620	459+66 - 459+96	end loading	55-06320-19-5(H1)	yes	yes	30	<del>7</del> <del>6</del>	55-06320-01-5	5.(H1)	259	30	no	21	

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes - no - partly		
Marcali	08599	222+71-222+91	end loading	55-08599-19-4(H)	yes	yes	20	7	55-08599-01-4	4.(H)	263	140	no	18,5	5 km/h Loading area can't be used until 10.12.2022, capacity can not be requested.
Marcali	08599	217+20-217+74 221+36-221+91	none	55-08599-06-1	yes	yes	54 55	30 13	55-08599-01-1	1.	367	54 55	no	18,5	5 km/h
Marcali	08599	220+56-221+26 221+31-222+71	none	55-08599-06-4	yes	yes	70 140	23 11	55-08599-01-4	4.	263	70 140	no	18,5	5 km/h
Nagykanizsa	03624	2207+35-2207+55 2207+59-2207+77	end loading	55-03624-19-19(H)	yes	yes	20 18	4 5	55-03624-01-19	19.(H)	271	25 18	no	21	Serving is possible only with diesel locomotive 5 km/h
Nagykanizsa	03624	2210+2018-2211+7558	none	55-03624-06-22	yes	yes	165 140	3/15	55-03624-01-22	22.	204	140	no	21	5 km/h
Nagykanizsa	03624	2207+50-2209+0010	side loading	55-03624-19-24(O)	yes	yes	150 160	8 5,6	55-03624-01-24	24.(O)	238	98 105	no	21	Serving is possible only with diesel locomotive 5 km/h
Nagykanizsa	03624	2209+7065-2210+2515	none	55-03624-06-25	yes	yes	55 50	3/15	55-03624-01-25	25.	76	42 50	no	21	5 km/h
Osztópán	08458	252+68 - 253+00-252+93	side loading	55-08458-19-1(O)	yes	yes	32 25	13 10	55-08458-01-1	1.(O)	376	32 25	no	21	5 km/h
Osztópán	08458	253+00-255+00 252+93-254+35	none	55-08458-06-1	no	yes	120 142	26 10	55-08458-01-1	1.	376	120 142	no	21	5 km/h
Pécsbánya-Rendező	07385	0+08-0+48 0+92-1+42	none	55-07385-06-1	yes	yes	40 50	15 10	55-07385-01-1	1.	198	40 50	yes	21	5 km/h, wagon weigh
Pécsbánya-Rendező	07385	0+62-1+10 0+62-0+92	side loading	55-07385-19-1(O)	yes	yes	48 30	8 12,5	55-07385-01-1	1.(O)	198	48 30	yes	21	5 km/h
Siófok B/1 kitérő ípvk.	08394	972+37-973+64 973+02-974+25	side loading	55-08394-19-5(O)	yes	yes	127 123	22 27	55-08394-01-5	5.(O)	220	127 123	no	21	5 km/h Located in Siófok Kereskedelmi pályaudvar
Siófok B/1 kitérő ípvk.	08394	973+02 - 974+25	none	55-08394-19-5	yes	yes	123	27	55-08394-01-5	5.	220	123	no	21	5 km/h Located in Siófok Kereskedelmi pályaudvar
Siófok B/1 kitérő ípvk.	08394	972+89-975+80 972+90-975+81	none	55-08394-06-3	yes	yes	291	22 11	55-08394-01-3	3.	220	195 220	yes	21	5 km/h Located in Siófok Kereskedelmi pályaudvar
Siófok B/1 kitérő ípvk.	08394	972+89-975+80 972+90-975+81	none	55-08394-06-4	yes	yes	291	26 11	55-08394-01-4	4.	230	230	yes	21	5 km/h Located in Siófok Kereskedelmi pályaudvar
Siófok B/1 kitérő ípvk.	08394	975+20-975+44 972+17-975+38	end loading	55-08394-19-3(H)	yes	yes	21	5	55-08394-01-3	3.(H)	220	25	yes	21	5 km/h Located in Siófok Kereskedelmi pályaudvar Loading area can't be used until 10.12.2022, capacity can not be requested.
Siófok	03350	1148+53-1149+6628	none	55-03350-06-17	yes	yes	113 75	12	55-03350-01-17	17.	105	90 75	yes	22,5	20 km/h
Siófok	03350	1148+53-1149+66 1149+28-1149+52	car loading	55-03350-19-17(G)	yes	yes	24	12	55-03350-01-17	17.(G)	105	25 24	yes	22,5	20 km/h Only for car loading Loading area can't be used until 10.12.2022, capacity can not be requested.